

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Saturday, March 31, 2007

Hide? Set Name Query

Hit Count

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR

<input type="checkbox"/>	L24	L23 AND PORT\$1 NEAR3 SHAR\$	12
<input type="checkbox"/>	L23	PROTOCOL\$ ADJ SHARING	226
<input type="checkbox"/>	L22	L13 AND (LOGICAL ADJ PORT\$1)	4
<input type="checkbox"/>	L21	L20 AND (PROTOCOL\$ NEAR3 SHAR\$)	1
<input type="checkbox"/>	L20	L19 AND (PORT\$1 NEAR3 SHAR\$)	9
<input type="checkbox"/>	L19	(SINGLE ADJ LOGICAL ADJ PORT\$1)	82
<input type="checkbox"/>	L18	L17 AND (SINGLE ADJ LOGICAL ADJ PORT\$1)	0

DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR

<input type="checkbox"/>	L17	('6363081' '6385197' '6560660' '20020016856' '20020016868')![pn]	5
--------------------------	-----	--	---

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR

<input type="checkbox"/>	L16	6950873.PN.	1
<input type="checkbox"/>	L15	20030028681	1
<input type="checkbox"/>	L14	L13 and (hierar\$ NEAR10 (APPLICATION\$1 OR PROCESS\$2) NEAR10 PROTOCOL\$1)	4
<input type="checkbox"/>	L13	(port\$ near5 protocol\$1 near5 shar\$)	179
<input type="checkbox"/>	L12	(port\$ near10 protocol\$1 near10 shar\$) same (server adj process\$2)	2
<input type="checkbox"/>	L11	(port\$ near10 protocol\$1 near10 shar\$) same (server adj process\$2)	2
<input type="checkbox"/>	L10	l8 and (application adj process\$2)	5
<input type="checkbox"/>	L9	L8 and interlayer\$1	1
<input type="checkbox"/>	L8	L7 and (server near3 process\$2)	43
<input type="checkbox"/>	L7	port\$1 near10 protocol\$ near10 shar\$	265
<input type="checkbox"/>	L6	L5 and rout\$ with traffic	8
<input type="checkbox"/>	L5	l4 and (shar\$ near3 protocol\$1)	25
<input type="checkbox"/>	L4	port\$ same protocol\$1 same (server adj process\$2)	292
<input type="checkbox"/>	L3	L2 and single adj3 port\$1	2
<input type="checkbox"/>	L2	L1 and (hierar\$ with protocol\$1)	6
<input type="checkbox"/>	L1	719/313.ccls.	643

END OF SEARCH HISTORY

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#) [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 31 - 40 of about 152,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES" AND SHARING**. (0.10 sec)

TechExams.Net - 70-270 Windows XP Pro TechNote: Printing

The new type of **port** dictates the **protocol** that should be used for ... If you didn't choose to **share** the printer while using the Add Printer wizard, ...

www.techexams.net/technotes/xp/printing.shtml - 42k - [Cached](#) - [Similar pages](#)

Glossary

This would interrupt the **server processes** which currently process requests. ... A header usually contains **protocol** information and meta information about ...

www.fmc-modeling.org/projects/apache/html/Glossary.html - 14k - [Cached](#) - [Similar pages](#)

[PDF] Proceedings of the 17 Large Installation Systems Administration ...

File Format: PDF/Adobe Acrobat

system by chrooting or jailing the **server processes**. into the individual user directories. ... **sharing protocol**. Before its release in MacOS 8, Apple- ...

www.usenix.org/events/lisa03/tech/full_papers/cabeen/cabeen.pdf - [Similar pages](#)

Connectivity Concepts

(DESCRIPTION= (ADDRESS= (PROTOCOL=tcp)(HOST=sales-server)(PORT=1521)) ...

This approach enables a small pool of **server processes** to serve a large number of ...

www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/concepts.htm - 44k -

[Cached](#) - [Similar pages](#)

Dr Carlo Kopp's Publications Archive

Sun's Network File System (NFS) file serving **protocol** has become in the last ... more different **server processes** do not end up **sharing** a single **port** number. ...

www.csse.monash.edu.au/~carlo/SYSTEMS/NFS-Performance-1-0995.htm - 23k -

[Cached](#) - [Similar pages](#)

Wicked Code: Eight Lessons from the COM School of Hard Knocks ...

One way to allow DCOM apps to bore through firewalls is to open **port** 135 and ports 1024-65535 to the **protocol** that DCOM is configured to use. ...

msdn.microsoft.com/msdnmag/issues/1100/wicked/ - 54k - [Cached](#) - [Similar pages](#)

NonStop TCP/IPV6 proc env wp

They all **share** the same **port** and present a single IP host image to the outside world. ... as well as between the **server processes** and the TCP/IP process, ...

www.himalaya.compaq.com/object/TCPIP6WP.html - [Similar pages](#)

[PDF] Transient Addressing for Related Processes: Improved Firewalling ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

dresses outside the TARP address family but **sharing** the same interface, we can also support ... **port** layer **protocol** and ports, and finally matches it to a ...

www.securiteinfo.com/ebooks/palm/tarp.pdf - [Similar pages](#)

Communications Programming Concepts - Binding Names to Sockets

Server processes that operate at a well-known **port** need to be able to ... For the Internet **protocols**, this means no local **protocol** **port** number has been ...

www.ncsa.uiuc.edu/.../Hardware/IBMp690/IBM/

usr/share/man/info/en_US/a_doc_lib/aixprgdd/progcom/skt_bind.htm - 13k -

[Cached](#) - [Similar pages](#)

Entensys UserGate - UserGate Proxy Server for Windows

UserGate Proxy **Server processes** all packets received from the network. Every **port** that is

open in the program, for example HTTP, SOCKS and others, ...

www.entensys.com/company/windowsitpro.php - 35k - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

PORT AND PROTOCOL AND "SER

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 1,160,000 for **PORT AND PROTOCOL AND SHARING**. (0.19 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Share Internet Connection and Enable Port Forwarding with Guidedog ...Next, enter the **protocol** (TCP or UDP) and the destination IP and **port**. ... TAGS: ubuntu**share** internet connection **port** forward ...

news.softpedia.com/news/Share-Internet-Connection-and-Set-up-Port-Forward-with-

Guidedog-50091.shtml - 49k - [Cached](#) - [Similar pages](#)**Net.TCP Port Sharing**The WCF TCP transport: Implements the net.tcp:// **protocol**. The Net.TCP **Port Sharing**Service: Allows many worker processes to **share** the same TCP **port**. ...msdn2.microsoft.com/en-us/library/ms734772.aspx - 15k - [Cached](#) - [Similar pages](#)**Special Applications - Port List**... in the layers of menus the networking and file-**sharing** options are hidden. ... Opens a wide **port** range!) OUT UDP UDP IN UDP 1414 [use H.323 **protocol** if ...www.practicallynetworked.com/sharing/app_port_list.htm - 152k - [Cached](#) - [Similar pages](#)**DoorStop Port List**TCP **Port** Numbers Commonly Used on the Macintosh ... 515, Line Printer Daemon**Protocol** (LPR). 548, Personal File **Sharing** (AFP). 554, RTSP (QuickTime) ...www.opendoor.com/doorstop/ports.html - 13k - [Cached](#) - [Similar pages](#)**Overcoming client firewall restrictions with port sharing (ZXTM ...**

ZXTM can extend access to this otherwise unreachable user base by allowing multiple

protocols to **share** the same **port** on the same server. ...

knowledgehub.zeus.com/articles/2006/10/20/overcoming_client_firewall_restrictions - 21k -

[Cached](#) - [Similar pages](#)**Direct Connect (file sharing) - Wikipedia, the free encyclopedia**Open Direct Connect also did not complete support for the full file **sharing** aspects of the**protocol**, but a **port** to Java did. Some time later, other clients ...en.wikipedia.org/wiki/Direct_Connect_(file_sharing) - 37k - [Cached](#) - [Similar pages](#)**Remote Desktop Protocol - Wikipedia, the free encyclopedia**Based on the ITU T.**share protocol** (also known as T.128), ... **Port** Redirection allows applications running within the terminal session to access local serial ...en.wikipedia.org/wiki/Remote_Desktop_Protocol - 31k - [Cached](#) - [Similar pages](#)**[PPT] Gnutella [The routing protocol for sharing data among peers]**File Format: Microsoft Powerpoint - [View as HTML](#)Gnutella is simply is a routing **protocol**-. To **share** files on the Gnutella ... ine parameters, the host name, and the **port** the servant is listening on ...www.123eng.com/projects/Gnutella_Pres%5B1%5D%20Project.ppt - [Similar pages](#)**PortForward.com Forum**This guide is to explain what ICS (Internet Connection **Sharing**) is and how to configure ... If you program uses a range or more than one **port** or **protocol**, ...

forum.portforward.com/YaBB.cgi?board=Knowledge;action=display;num=1134525903 -

26k - [Cached](#) - [Similar pages](#)**Terminal Services Team Blog : Windows Desktop Sharing API**

Windows Desktop **Sharing** API Basics Microsoft Terminal Services provides a public
"Windows ... **port/ protocol** for listening for connection and communication? ...
blogs.msdn.com/ts/archive/2007/03/08/windows-desktop-**sharing**-api.aspx - 29k -
Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

PORT AND PROTOCOL AND SHAI

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#) [Advanced Search](#)
[Preferences](#)The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 1,170,000 for **PORT AND PROTOCOL AND SHARING**. (0.09 seconds)

Common Application Ports - Bandwidth Controller

The next column lists each **port** used by the product, including any **port** ranges. The third column shows which **protocol** the ports refer to (TCP, UDP or both). ...

[bandwidthcontroller.com/applicationPorts.html](#) - 33k - [Cached](#) - [Similar pages](#)

Nicholas Allen's Indigo Blog : Net.Tcp Port Sharing Sample, Part 1

For example, the HTTP **protocol** typically uses TCP **port** 80. Internet Information Services (IIS) has a listener to **share** a **port** between multiple HTTP ...

[blogs.msdn.com/drnick/archive/2006/08/07/690331.aspx](#) - 20k - [Cached](#) - [Similar pages](#)

HP's Small & Medium Business Online Store

Protocol support, Multi-**protocol** file **sharing** and print serving, Multi-**protocol** ... Network controller, Embedded dual **port** broadcom 5751 10/100/1000 NIC ...

[h71016.www7.hp.com/dstore/ctoBases.asp?jumpid=re_NSS_dl100g2storageserver&ProductLineId=450&Famil...](#) - 156k - [Cached](#) - [Similar pages](#)

O'Reilly - Safari Books Online - 0596101007 - Zero Configuration ...

Service Discovery Beyond the Local Link > NAT **Port** Mapping **Protocol** (NAT-PMP) ... more than one computer, they have to use NAT to **share** that one IP address. ...

[safari.oreilly.com/0596101007/bonjour-CHP-5-SECT-6](#) - [Similar pages](#)

AirPort Extreme, Express: Using the NAT Port Mapping Protocol for ...

AirPort Extreme or AirPort Express must be the device that is **sharing** your Internet ... Select the Enable NAT **Port** Mapping **Protocol** checkbox. Click OK. ...

[docs.info.apple.com/article.html?artnum=302510](#) - 17k - [Cached](#) - [Similar pages](#)

Warp Nine Engineering - The IEEE 1284 Experts - Advances in High ...

To use this additional potential the IEEE 1284.3 committee developed a **protocol** to allow **sharing** of the parallel **port** by multiple peripherals. ...

[www.fapo.com/1284adv.htm](#) - 23k - [Cached](#) - [Similar pages](#)

iFocus - Dlink DP-301P+ 1-Port Multi-Protocol Parallel Print Server

Convenient Printer **Sharing**; Centronics **Port** for Direct Printer Connection ... The DP-301P+ supports all the major networking **protocols** such as TCP/IP, ...

[www.ifocus.co.nz/.../Dlink+DP-301P%25252B+1-Port+Multi-Protocol+Parallel+Print+Server.html](#) - 34k - [Cached](#) - [Similar pages](#)

[PDF] Peer-to-Peer File Sharing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Peer-to-Peer File **Sharing**. **Port** Hopping and Challenges to Traffic Control Methodology ... future changes to P2P clients and their underlying **protocols**. ...

[www.sandvine.com/general/getfile.asp?FILEID=2](#) - [Similar pages](#)

[PDF] CANINE: A NetFlows Converter/Anonymizer Tool for Format ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Flow logs can hinder the **sharing** of these logs. We call the ... nation IP address, source **port**, destination **port** and **protocol** ...

[laim.ncsa.uiuc.edu/downloads/luo05.pdf](#) - [Similar pages](#)

Net.TCP Port Sharing Sample

The NetTcp **Port** **Sharing** Service accepts connections using the net.tcp **protocol** and forwards messages based on their destination address. ...

[msdn2.microsoft.com/en-us/library/aa395195.aspx](#) - 18k - [Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

PORT AND PROTOCOL AND SHAR

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Google

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 1,160,000 for **PORT AND PROTOCOL AND SHARING**. (0.33 seconds)

Serial **Port** Redirector - Serial IP - COM **Port** Redirector - Serial ...

The COM **Port** Control **protocol** (RFC 2217) is used also for accessing any serial ... [Share](#) and access any serial devices or create virtual null-modem cables ...

www.fabulatech.com/serial-port-redirector.html - 17k - [Cached](#) - [Similar pages](#)

Windows Vista Help: **Sharing** media on a network using Windows Media ...

What are the privacy and security implications of **sharing**? ... By **sharing** your media, you can do all of these things. ... **Port**, **Protocol**, Scope ...

windowshelp.microsoft.com/Windows/en-US/help/079a4d8b-e19d-4d7f-bef1-116cb711364c1033.mspx - 105k - [Cached](#) - [Similar pages](#)

Special Applications - Opening Ports

ICS can handle **port** ranges and multiple **protocols**, but does not support triggered maps. If you're using Linux "Masq" or "Masquerade" to **share** your ...

www.practicallynetworked.com/sharing/app_ports.htm - 125k - [Cached](#) - [Similar pages](#)

WCF Team Bloggers : Net.Tcp **Port** Sharing Sample, Part 1

I may just tack on the configuration details at the end because other **port** **sharing** topics already cover that material. The TCP/IP **protocol** uses a 16-bit ...

wcf.netfx3.com/blogs/wcf_team_bloggers/archive/2006/08/07/Net.Tcp-Port-Sharing-Sample_2C00_-Part-1.aspx - 31k - [Cached](#) - [Similar pages](#)

How to open **port** and ip **protocol** on windows firewall?

Next: Networking & **Sharing**: Vista Premium can't add shared H/P all in One ... and understand that I need to open up **port** 1723 and ip **protocol** 47 on the ...

help.lockergnome.com/vista/open-port-ip-protocol-windows-firewall-ftopic140948.html - 29k - [Cached](#) - [Similar pages](#)

Music Collection **Sharing** With Rhythmbox

Actually, this title is not very descriptive, as **sharing** music with Rhythmbox ... Hopefully, Rhythmbox' DAAP service uses the DAAP **protocol**'s default **port**: ...

www.g-loaded.eu/2006/05/01/music-collection-sharing-with-rhythmbox/ - 25k - [Cached](#) - [Similar pages](#)

Software Download: Com **Port** Sharing Software

Serial **Port** Splitter allows to **share** dataflow of one COM **port** between several ... the features provided by the COM **Port** Control **protocol** specified by IETF ...

www.sharewareconnection.com/titles/com-port-sharing-software.htm - 94k - [Cached](#) - [Similar pages](#)

Comments on: **Sharing** Printers Between OS X Boxes in a Screwed Up ...

Comment on **Sharing** Printers Between OS X Boxes in a Screwed Up Local ... For example, one could make one's client support UPnP's **port** forwarding **protocol** to ...

www.goland.org/NetworkingOSXPrinters/feed/ - 20k - [Cached](#) - [Similar pages](#)

Ethereal: RE: [Ethereal-users] File **Sharing** and Media **Protocols**

Subject: RE: [Ethereal-users] File **Sharing** and Media **Protocols** ... they can > use that **port** number for a proprietary **protocol** and not publish > information ...

www.ethereal.com/lists/ethereal-users/200302/msg00224.html - 10k - [Cached](#) - [Similar pages](#)

Neath **Port** Talbot Local Health Board - Unified Assessment ...

Neath **Port** Talbot LHB's Annual Accounts for 2005/06 ... A Healthy Future for Neath **Port**

Talbot. Home > Unified Assessment - Information **Sharing Protocol ...**
www.wales.nhs.uk/sites3/docmetadata.cfm?orgid=245&id=37405 - 22k -
[Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

PORT AND PROTOCOL AND SHAR

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **31 - 40** of about **1,170,000** for **PORT AND PROTOCOL AND SHARING**. (0.09 seconds)

Port forwarding for Shareaza (file sharing client)

Port forwarding for Shareaza (file **sharing** client) ... **Protocol**: 6 and 17 (two separate **port** entries, one UDP and one TCP) Target IP: 192.168.1.1 (IP of the ...
208.109.74.99/smf/index.php?
PHPSESSID=244ed9a0f49c62c1206cb5e6ad1e8eb0&topic=391.msg1198 - 26k -
[Cached](#) - [Similar pages](#)

[PDF] Sniffer SharingWP.qxd

File Format: PDF/Adobe Acrobat - [View as HTML](#)
environment for **sharing protocol** sniffers like the Network Associates Distributed ... the appropriate switches SPAN **port** of the problematic network segment. ...
www.datacenterjournal.com/.../file.asp?f=Sniffer_
SharingWP.pdf&n=Sniffer_SharingWP.pdf&c=pdfs - [Similar pages](#)

dmiessler.com | writing | windowsfilesharing

This is similar to the RPC functionality found in the Unix world, and although it's not technically a "file **sharing**" **port**, it ties heavily into Windows ...
dmiessler.com/writing/windowsfilesharing/ - 16k - [Cached](#) - [Similar pages](#)

Stuff Yaron Finds Interesting

Sharing Printers Between OS X Boxes in a Screwed Up Local Network ... For example, one could make one's client support UPnP's **port** forwarding **protocol** to ...
www.goland.org/NetworkingOSXPrinters/ - 36k - [Cached](#) - [Similar pages](#)

"Well Known" TCP and UDP Ports Used By Apple Software Products

Port, TCP or UDP, Service or **Protocol** Name, RFC, Used By/Additional Information ...
Windows file and print services, such as Windows **Sharing** in Mac OS X. ...
docs.info.apple.com/article.html?artnum=106439 - 36k - [Cached](#) - [Similar pages](#)

2007-03-30 06:54 blocked protocols and ports ...

In the "deny" lists, a **protocol** or **port** is being blocked because it is known ... [Grokster file **sharing** app] tcp 1214 Grokster [Grokster file **sharing** app] ...
noc.uwaterloo.ca/cn/Stats/blocked - 10k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)

Sharing Disks and Files

The Printer **port** in old Macs can be used as a LocalTalk network ... Another limitation of LocalTalk is that it cannot run TCP/IP **protocols** directly. ...
www.macwindows.com/netbasic.html - 24k - [Cached](#) - [Similar pages](#)

Lantronix Networking Tutorial Part III: Sharing Devices; Terminal ...

Lantronix print servers allow multiple users to **share** printers anywhere on an Ethernet network and can accommodate a wide range of network **protocols**, ...
www.lantronix.com/learning/net-tutor-etntshdv.html - 30k - [Cached](#) - [Similar pages](#)

Service overview and network port requirements for the Windows ...

Protocol / **Port** - Application **protocol** - System service name ... TCP **Port** 53 - DNS
Internet Connection Firewall/Internet Connection **Sharing** ...
www.aspdeveloper.net/tiki-index.php?page=FirewallMicrosoftKB832017 - 26k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)

[PDF] THE DYNAMIC PORT RESERVATION PROTOCOL BY ANDREW JOSEPH REITZ B.S. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
peer-to-peer applications such as file **sharing** services, network games and ... The design

of the Dynamic **Port** Reservation **Protocol** (DPRP) was driven by the ...
mobius.cs.uiuc.edu/Thesis/AndyR/areitz_msthesis.pdf - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **41 - 50** of about **1,170,000** for **PORT AND PROTOCOL AND SHARING**. (0.16 seconds)

[Xbox.com | Xbox 360™ System - Re: \[Help\] MC \(PC Selected = Failed ...](#)

I seem to have a problem with the Media **Sharing** (Windows-based PC) connection. ...

"**NAT Port Mapping Protocol** (NAT-PMP) is an Internet Engineering Task ...

[forums.xbox.com/11224844/ShowPost.aspx](#) - 61k - [Cached](#) - [Similar pages](#)

[draft-cheshire-nat-pmp-00 - NAT **Port Mapping Protocol** \(NAT-PMP\)](#)

[Page 1] Internet Draft **NAT Port Mapping Protocol** 7th June 2005 1. Introduction Network

Address Translation (NAT) is a method of **sharing** one public internet ...

[www1.tools.ietf.org/html/draft-cheshire-nat-pmp-00](#) - 49k - [Cached](#) - [Similar pages](#)

[Cable Modem Troubleshooting Tips: **Sharing** a CM](#)

The Internet Connection **Sharing** component of Windows XP or Windows ME (the ... The

FTP **protocol** transmits both IP addresses and **port** numbers over the FTP ...

[homepage.ntlworld.com/robin.d.h.walker/cmtips/homelan.html](#) - 30k -

[Cached](#) - [Similar pages](#)

[Internet Connection **Sharing** in Windows CE](#)

Internet Connection **Sharing** (ICS) in the Windows® CE operating system allows ... The

allocator monitors User Datagram **Protocol** (UDP) **port** 67 for address ...

[www.microsoft.com/technet/prodtechnol/wce/evaluate/sharece.mspx](#) - 29k -

[Cached](#) - [Similar pages](#)

[Linuxathome.net - Linux news and help for home broadband internet ...](#)

Now that your Internet Connection **Sharing** is setup we recommend that you combine all ...

The new window titled "Internet **Protocol** (TCP/IP) Properties" will ...

[www.linuxathome.net/sharing.php](#) - 40k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)

[DoorStop X User's Guide - DoorStop X Basics](#)

For instance, Personal Web **Sharing** usually uses **port** 80, and Personal File **Sharing**

uses ... DoorStop can protect the three most commonly used **protocols**: ...

[www.opendoor.com/doorstop/UG/DSXBasics.html](#) - 11k - [Cached](#) - [Similar pages](#)

[Port Forwarding for the Advantek ABR241-SOHO](#)

Before we can forward ports for Easy File **Sharing** Web Server, ... Use the **Protocol** drop

down box to select the **port protocol** of the blocked ports. ...

[portforward.com/english/routers/port_forwarding/Advantek/ABR241-](#)

[SOHO/Easy_File_Sharing_Web_Server.htm](#) - 15k - [Cached](#) - [Similar pages](#)

[TCP/IP Ports](#)

SoulSeek, 2234, 5534, 2234, 5534, file **sharing** ... This is the full music file-sharing service.

... **Protocol** numbers are not the same as **port** numbers. ...

[www.chebucto.ns.ca/~rakerman/port-table.html](#) - 59k - [Cached](#) - [Similar pages](#)

[Best free com **port sharing** downloads. **Share serial port** with ...](#)

Com **port sharing** software: **Share Serial Port** between any applications, ... P2P file-

sharing freeware and one of the most popular P2P **protocols** designed for ...

[www.freedownloadmanager.org/downloads/com_port_sharing_software/](#) - 67k -

[Cached](#) - [Similar pages](#)

[How to open **port** and ip **protocol** on windows firewall?](#)

Next: Networking & **Sharing**: Lose Printer. Author, Message ... open IP **Protocol** 47? Some

web pages said it is not a **port**, then how to I open ...

[help.wugnet.com/vista/open-port-ip-protocol-windows-firewall-ftopict41006.html](#) - 32k -

<http://www.google.com/search?q=PORT+AND+PROTOCOL+AND+SHARING&hl=en&start=40&sa=N> 3/31/2007

[Cached](#) - [Similar pages](#)

Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#)

[Next](#)

PORT AND PROTOCOL AND SHAI

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 51 - 60 of about 1,170,000 for **PORT AND PROTOCOL AND SHARING**. (0.16 seconds)**[PDF] Research on sharing compressed files in different systems ...**

File Format: PDF/Adobe Acrobat

sharing compressed files in different systems in a network is discussed. A project based on FTP ... Use this file to define the **port and protocol** used in ...ieeexplore.ieee.org/iel5/7292/19718/00913476.pdf - [Similar pages](#)**GRC | Shields UP! -- Internet Connection Security Analysis**Completely close your system to all NetBIOS name and resource **sharing** ... To provide for safe Internet communication, the system's TCP/IP **protocol** is bound ...www.grc.com/su-bondage.htm - 34k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)**Eudora Sharing Protocol - What does ESP stand for? Acronyms and ...**ESP, Ethernet Serial **Port**. ESP, Eudora **Sharing Protocol**. ESP, European Society for Photobiology. ESP, Event Script Programming. ESP, Event Stream Processing ...acronyms.thefreedictionary.com/Eudora+Sharing+Protocol - 32k - [Cached](#) - [Similar pages](#)**Managing streaming protocols on your network**Earlier RealPlayer versions used a proprietary **protocol** called PNA for this function. The default **port** number for PNA is 1090. RealPlayer can use RTP and ...

searchnetworking.techtarget.com/tip/0,289483,sid7_gci1239359,00.html - 63k -

[Cached](#) - [Similar pages](#)**PortForward.com Forum**Trigger **Port Protocol** Delay Application Name: It does not matter what you put ... I'm going to try to explain the Trigger **Port**, and **protocol** boxes below. ...

forum.portforward.com/YaBB.cgi?board=PTQuestions;action=display;num=1163262500 -

23k - [Cached](#) - [Similar pages](#)**Old Version List of File Sharing**BearShare is a popular Gnutella-based file **sharing** application originally created ...**protocol** encryption, chatting, disk cache, speed limits, **port** mapping, ...www.oldapps.com/old_version_list_File_Sharing.php - 29k - [Cached](#) - [Similar pages](#)**Port 445 (tcp/udp) | SANS Internet Storm Center: Cooperative ...****Port 445** is used for Windows File **Sharing**. ... **Protocol** Definition Name - Direct Host (TCP) Internal Connection **Port** Number - 445 Initial **Protocol** - TCP ...isc.sans.org/port.html?port=445 - 39k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)**Port Forwarding for the Pro-Nets RT514S**Please enter the **port** you chose for Easy File **Sharing** Web Server below. ... Service, Public IP Address, Public **Port**, Private **Port**, **Protocol** ...

portforward.com/english/routers/port_forwarding/Pro-

Nets/RT514S/Easy_File_Sharing_Web_Server.htm - 16k - [Cached](#) - [Similar pages](#)**UW fair-share ResNet controls**We use NBAR in conjunction with traffic shaping in the ResNet control-point router to disfavor the heavily-used "peer-to-peer file **sharing**" **protocols** by ...ist.uwaterloo.ca/cn/Residence/directions.html - 13k - [Cached](#) - [Similar pages](#)**Windows File Sharing: Facing The Mystery ~ IT Professionals**TCP/135 - RPC: This **port** is potentially quite dangerous due to what "RPC" ... is unbind File and Print **sharing** from the TCP/IP **protocol** within network ...

www.lockergnome.com/nexus/it/2005/04/13/windows-file-sharing-facing-the-mystery/ - 54k

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 217,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES"**. (0.17 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Administrative Tasks

Additionally, the **server processes** can be individually started and stopped using ... The **protocol** and the **port** can be changed using the HostConfig utility, ...publib.boulder.ibm.com/infocenter/tivihelp/v8r1/topic/com.ibm.netcool_portal.doc/po20ig/xF2158347.html - 33k -[Cached](#) - [Similar pages](#)

Oracle8i MTS (Multithreaded Server)

MTS will allow sharing of **server processes** between client connections using ...[mts_dispatchers="\(address=\(protocol=tcp\)\(host=<ip_address>\)\(port=1521\)\)"](#) ...www.oracledbaexpert.com/oracle/net8MTS.html - 17k - [Cached](#) - [Similar pages](#)

TCP and UDP port - Wikipedia, the free encyclopedia

In the TCP and UDP **protocols** used in computer networking, a **port** is a ... these will be handled by different **server processes**, and the **port** number will be ...en.wikipedia.org/wiki/TCP_and_UDP_port - 19k - [Cached](#) - [Similar pages](#)

IBM WebSphere Developer Technical Journal: Firewall Port ...

This article highlights what you need to know about transports, **port** ... We have not discussed the **protocol** traffic between WebSphere Application Servers in ...www.ibm.com/developerworks/websphere/techjournal/0310_alcott/alcott.html - 60k -[Cached](#) - [Similar pages](#)

The TCP/IP Guide - TCP/IP Application Assignments and Server Port ...

9 TCP/IP Transport Layer **Protocol** (TCP and UDP) Addressing: Ports and Sockets ... On most computers, these **port** numbers are used only by **server processes** ...www.tcpipguide.com/free/t_TCPIPApplicationAssignmentsandServerPortNumberRange2.htm - 26k -[Cached](#) - [Similar pages](#)

AMIS Technology blog » Blog Archive » APEX installation via the ...

Install/enable the DBMS_EPG and DAD procedures; Allow anonymous access on the database HTTP **port**; Create extra shared **server processes** ...technology.amis.nl/blog/?p=1443 - 49k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)

Web server tutorial - Part 1

The service uses **protocol** and **protocol** uses **port** number to provide service ... Before the **Web server processes** the data, it goes through a filtration by the ...www.freeos.com/articles/4121/ - 25k - [Cached](#) - [Similar pages](#)

Chapter 22. The Internet Super Server inetd

Many connections to **server processes** require answers after data transfers are complete, ... **service-name port-number/protocol-name [aliases]** ...www.netbsd.org/guide/en/chap-inetd.html - 28k - [Cached](#) - [Similar pages](#)

Microsoft TechNet: Troubleshooting Web Proxy Traffic in ISA Server ...

This solution works because of the way in which ISA **Server processes** traffic. Traffic arrives on a particular **port**, and this **port** matches specific **protocols** ...www.microsoft.com/technet/isa/2004/plan/ts_proxy_traffic.mspx - 23k -[Cached](#) - [Similar pages](#)

Microsoft Internet Security and Acceleration (ISA) Server ...

When ISA **Server processes** a request from an external client, ... Secondary connections:

For a complex user-defined **protocol**, specify **port** numbers, **protocol**, ...

www.microsoft.com/technet/isa/2000/maintain/isafaqpb.aspx - 34k -

[Cached](#) - [Similar pages](#)

[[More results from www.microsoft.com](#)]

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 217,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES"**. (0.16 seconds)

Binding Names to Sockets

Server processes that operate at a well-known **port** need to be able to ... For the Internet **protocols**, this means no local **protocol port** number has been ...

publib.boulder.ibm.com/infocenter/pseries/

v5r3/topic/com.ibm.aix.progcomm/doc/progcomm/skt_bind.htm - 13k -

[Cached](#) - [Similar pages](#)

The TCP/IP Guide - TCP/IP Transport Layer **Protocol** (TCP and UDP ...

Internet **Protocol** (IP) addresses are the universally-used main form of ... that **port** numbers are categorized in ranges, and assigned to **server processes** for ...

www.tcpipguide.com/free/

t_TCPIPTransportLayer**Protocol**TCPandUDPAddressing**Port**.htm - 24k -

[Cached](#) - [Similar pages](#)

Configuring Firewalls to Enable the Easysoft **Server Processes**

Configuring Firewalls to Enable the Easysoft **Server Processes** ... netsh firewall set portopening **protocol**=tcp **port**=8888 name="Easysoft ODBC-ODBC Bridge ...

www.easysoft.com/products/data_access/odbc_odbc_bridge/firewall.html - 24k -

[Cached](#) - [Similar pages](#)

Sedna Client/Server **Protocol**

This document describes version 1.0 of the **protocol**. By default the server listens clients to connect to **port** number 5050. **Port** number can be changed from ...

modis.ispras.ru/sedna/server**protocol**/ClientServer**Protocol**.html - 42k -

[Cached](#) - [Similar pages](#)

Configuring Shared Server

An idle shared server process from a shared pool of **server processes** picks up a ...

(DESCRIPTION= (ADDRESS=(**PROTOCOL**=tcp)(HOST=sales1-server)(**PORT**=1521)) ...

www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/mts.htm - 36k -

[Cached](#) - [Similar pages](#)

3 Connectivity Concepts

(DESCRIPTION= (ADDRESS=(**PROTOCOL**=tcp)(HOST=sales-server)(**PORT**=1521)) ...

This approach enables a small pool of **server processes** to serve a large number of ...

download-west.oracle.com/docs/cd/B19306_01/network.102/b14212/concepts.htm - 40k -

[Cached](#) - [Similar pages](#)

14 Optimizing Performance

sales.us.acme.com= (DESCRIPTION= (SDU=11280) (ADDRESS=(**PROTOCOL**=tcp)

(HOST=sales-server)(**PORT**=1521)) (CONNECT_DATA=

(SERVICE_NAME=sales.us.acme.com))) ...

download-west.oracle.com/docs/cd/B19306_01/network.102/b14212/performance.htm - 33k

- [Cached](#) - [Similar pages](#)

[[More results from download-west.oracle.com](#)]

Recommended Deployment Topologies

Switches that allow IP **port and protocol** restrictions between each pair of ...load

balancers for OracleAS Single Sign-On's Oracle HTTP **Server processes**, ...

download-east.oracle.com/docs/cd/B15904_01/core.1012/b13999/rectop.htm - 30k -

[Cached](#) - [Similar pages](#)

OSI-Protocols and Net8 Architecture

A Bequeath **protocol** is utilised where client and **server processes** exist on the ... **Port** 1521 - listening **port** for client listener connections using TCP/IP. ...
www.oracledbaexpert.com/oracle/net8Architecture.html - 16k - [Cached](#) - [Similar pages](#)

[book] [The TCP/IP Guide: A Comprehensive, Illustrated Internet Protocols ...](#) - Google Books Result
by Charles M. Kozierok - 2005 - 1536 pages
On most computers, only **server processes** run by system administrators or privileged users use these **port** numbers. These processes generally correspond to ...
books.google.com/books?isbn=159327047X...

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 151,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES" AND SHARING**. (0.24 sec)

Tip: Save time by hitting the return key instead of clicking on "search"

Scholarly articles for PORT AND PROTOCOL AND "SERVER PROCESSES" AND SHARING[The Clouds Distributed Operating System](#) - Dasgupta - Cited by 160[Collaborative computing system using pseudo server ...](#) - Meky - Cited by 158[Virtual network mechanism to access well known port ...](#) - Pham - Cited by 121**Oracle8i MTS (Multithreaded Server)**Client connections **share server processes** by way of the server process ...mts_dispatchers="(address=(**protocol**=tcp)(host=<ip_address>)(**port**=1521))" ...[www.oracledbaexpert.com/oracle/net8MTS.html](#) - 17k - [Cached](#) - [Similar pages](#)**What is Net8 ?**Any spawning of **server processes** or dispatcher processes is executed by the listener ...mts_dispatchers="(address=(**protocol**=tcp)(host=<host>)(**port**=5001)(...[oracledbaexpert.com/oracle/net8Intro.html](#) - 37k - [Cached](#) - [Similar pages](#)[\[More results from oracledbaexpert.com \]](#)**Configuring Shared Server**An idle shared server process from a shared pool of **server processes** picks up a ...(DESCRIPTION= (ADDRESS=(**PROTOCOL**=tcp)(HOST=sales1-server)(**PORT**=1521)) ...[www.leidenuniv.nl/awcourse/oracle/network.920/a96580/mts.htm](#) - 36k -[Cached](#) - [Similar pages](#)**Using the multi-threaded server feature**Also, the shared **server processes** are automatically spawned and released based on ...Connecting to (ADDRESS=(**PROTOCOL**=TCP)(Host=server_name)(**Port**=1526)) ...[searchoracle.techtarget.com/tip/0,289483,sid41_gci1018471,00.html](#) - 57k -[Cached](#) - [Similar pages](#)**Configuring Shared Server**

The shared server architecture enables a database server to allow many user processes to

share very few server processes, so the number of users that can be ...[www.stanford.edu/dept/itss/docs/oracle/9i/network.920/a96580/mts.htm](#) - 37k -[Cached](#) - [Similar pages](#)**12 Configuring Dispatchers**An idle shared server process from a shared pool of **server processes** picks up a ...(ADDRESS=(**PROTOCOL**=tcp)(HOST=sales-server)(**PORT**=1521)) (CONNECT_DATA= ...[www.stanford.edu/dept/itss/docs/oracle/10g/network.101/b10775/dispatcher.htm](#) - 24k -[Cached](#) - [Similar pages](#)**Apparatus and method for port sharing a plurality of server ...**... for **port sharing** among a plurality of **server processes** are provided. ... For example,

Hypertext Transport Protocol (HTTP) data messages are sent to ...

[www.freepatentsonline.com/6950873.html](#) - 54k - [Cached](#) - [Similar pages](#)**[PDF] Connecting and Managing a Brother Printer into a Windows 2000 ...**

File Format: PDF/Adobe Acrobat

protocol (port 9100), however, for completeness, this documentation also ... will determinewhat happens to the data as the print **server processes** it. HP ...[solutions.brother.com/Library/pdf/Win2k_tcpip.pdf](#) - [Similar pages](#)

[PPT] [Gnutella](#) [The routing **protocol** for **sharing** data among peers]

File Format: Microsoft Powerpoint - [View as HTML](#)

Gnutella is simply is a routing **protocol**-. To **share** files on the Gnutella ... ine parameters, the host name, and the **port** the servant is listening on ...

[www.123eng.com/projects/Gnutella_Pres%5B1%5D%20Project.ppt](#) - [Similar pages](#)

[The TCP/IP Guide - UDP Common Applications and Server **Port** Assignments](#)

Table 148 shows some of the more interesting **protocols** that use UDP and the well-known and registered **port** numbers used for each one's **server processes**. ...

[www.tcpipguide.com/free/t_UDPCommonApplicationsandServerPortAssignments-3.htm](#) -

26k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 11 - 20 of about 152,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES" AND SHARING**. (0.15 sec)**Apparatus and method for port sharing a plurality of server ...**Apparatus and method for **port sharing** a plurality of **server processes** - US ... controlling 709/230 , Computer-to-computer **protocol** implementing 709/231 ...
www.patentstorm.us/patents/6950873.html - 41k - [Cached](#) - [Similar pages](#)**LISA '03 — Technical Paper**This **port** is chosen randomly and has no relation to the standard **port** that the ...
AppleShare IP is a recent addition to the Apple file **sharing protocol**. ...
www.usenix.org/events/lisa03/tech/full_papers/cabeen/cabeen_html/index.html - 36k -
[Cached](#) - [Similar pages](#)**[PDF] If a device server processes a Set Data Encryption page with the ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)
keys (i.e., any I_T nexus that is using a scope of PUBLIC and **sharing** the ... a) For SCSI transport **protocols** where initiator **port** names are required, the ...
www.t10.org/ftp/t10/document.06/06-051r3.pdf - [Similar pages](#)**[PPT] Communication**File Format: Microsoft Powerpoint - [View as HTML](#)
Two IP addresses and two **port** numbers; Underlying transport **protocol** (e.g., TCP or UDP) ... Allow the operating system to **share** the CPU across processes ...
www.cs.princeton.edu/courses/archive/spr06/cos461/slides/02Sockets.ppt - [Similar pages](#)**3 Connectivity Concepts**(DESCRIPTION= (ADDRESS=(**PROTOCOL**=tcp)(HOST=sales-server)(**PORT**=1521)) ...
This approach enables a small pool of **server processes** to serve a large number of ...
download-west.oracle.com/docs/cd/B19306_01/network.102/b14212/concepts.htm - 40k -
[Cached](#) - [Similar pages](#)**svnserve, a custom server**The IANA has reserved **port** 3690 for the Subversion **protocol**, ... The **server processes** the repository's conf/svnserve.conf file, and begins to enforce any ...
svnbook.red-bean.com/en/1.1/ch06s03.html - 32k - [Cached](#) - [Similar pages](#)**Kerio WinRoute Firewall**Kerio WinRoute Firewall allows VoIP (H.323 and SIP **protocols**) to run from ... and monitors all **server processes** actively involved in network communication ...
www.extralan.co.uk/products/Network-Security/Winroute/Winroute.htm - 35k -
[Cached](#) - [Similar pages](#)**Cavency**In the TCP and UDP **protocols** used in computer networking, a **port** is a ... these will be handled by different **server processes**, and the **port** number will be ...
www.cavency.com/port/ - 31k - [Cached](#) - [Similar pages](#)**Amazon.com: D-Link DP-311U Wireless Print Server, 1-USB Port ...**With its high-speed USB **port**, accessing a network and **sharing** a printer device ... This print **server processes** my print jobs at the same speed as when I had ...
www.amazon.com/D-Link-DP-311U-Wireless-Server-802-11b/dp/B00009KH5Q - 131k - Mar 30, 2007 - [Cached](#) - [Similar pages](#)**[PPT] www.dur.ac.uk/r.bordini/Courses/2005-2006/DC/Slide...**File Format: Microsoft Powerpoint - [View as HTML](#)

Kernels and **server processes** manage resources they provide to clients, ... IP (Internet **Protocol**) transmits datagrams from one host to another, ...

[Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

PORT AND PROTOCOL AND "SER"

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 21 - 30 of about 152,000 for **PORT AND PROTOCOL AND "SERVER PROCESSES" AND SHARING**. (0.20 sec)**[PPT] 3rd Edition: Chapter 2**File Format: Microsoft Powerpoint - [View as HTML](#)client initiates TCP connection (creates socket) to server, **port 80**; server accepts TCP connection from client; HTTP messages (application-layer **protocol** ...www.cis.fiu.edu/~czhang/teaching/cen4500/slides/Application.ppt - [Similar pages](#)**Method and apparatus for server load sharing based on foreign port ...**5 is a flowchart of a process for spawning and removing **server processes** in ... and computer instructions for server load **sharing** based on foreign **port** ...www.freepatentsonline.com/20040181595.html - 44k - [Cached](#) - [Similar pages](#)**TechExams.Net - 70-215 Windows 2000 Server TechNote: Printing**The type of **port** dictates the **protocol** that should be used for ... If you want to **share** printers connected to a NetWare print server on a Windows 2000 print ...www.techexams.net/technotes/70215/printing.shtml - 40k - [Cached](#) - [Similar pages](#)**[PS] Summary Cache: A Scalable Wide-Area Web Cache Sharing Protocol**File Format: Adobe PostScript - [View as Text](#)collection of **server processes** that delay the replies to. emulate Internet latencies. ... overhead of current cache **sharing protocols**, and show ...www.cs.wisc.edu/~cao/papers/summarycache.ps - [Similar pages](#)**Glossary**(DESCRIPTION= (ADDRESS=(**PROTOCOL**=tcp)(HOST=sales-server)(**PORT**=1521)(CONNECT_DATA= ... to allow many user processes to **share** very few **server processes**,...
download-west.oracle.com/docs/cd/B19306_01/network.102/b14212/glossary.htm - 94k - [Cached](#) - [Similar pages](#)**Configuring OracleAS Web Cache for HTTPS Requests**Specify the information for the **port**, selecting HTTPS for the **Protocol**. ... you must restart the cache or admin **server processes**, using the opmnctl utility ...download-east.oracle.com/docs/cd/B14099_11/caching.1012/b14046/https.htm - 48k - [Cached](#) - [Similar pages](#)**Architecture and Concepts**Figure 2-1 depicts a typical OSI **Protocol** Communications Stack. ... called shared server, allows many user processes to **share** very few **server processes**. ...www.csee.umbc.edu/help/oracle8/network.815/a67440/ch2.htm - 114k - [Cached](#) - [Similar pages](#)**Network Address Translation Technical Discussion**There are, however, three separate WWW **Server processes** running on that machine, using ports 8000 through 8002. There is probably also one on **port 80** for ...www.safety.net/nattech.html - 13k - [Cached](#) - [Similar pages](#)**Application Protocol Design****Server processes** are often invoked by harness programs such as inetd(8) in such a way ... C: <client connects to service **port 110**> S: +OK POP3 server ready ...www.faqs.org/docs/artu/ch05s03.html - 16k - [Cached](#) - [Similar pages](#)**Chapter 23 - Client-Server Interaction**Example - TCP uses **protocol port** numbers as identifiers ... One way to run concurrent

servers is to dynamically create **server processes** for each client ...
www.cs.nyu.edu/artg/telecom/fall99/lecture_notes/chap23/all.html - 17k -
[Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

PORT AND PROTOCOL AND "SER

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google